DOCK No. 1511-1036 10 /5 18 4 2 8 DT01 Rec'd PCT/PTC -2 0 DEC 2004

## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

## CLAIMS

 (previously presented) Linear block polymer according to Formula (1)

$$H_{2}N-R_{1}-P_{1}-R_{2}-P_{$$

## Wherein

R1 is derived from a diamine, e.g. ethylene diamine, 1,2-diamino propane or 1,3-diamino propane;

R2 is derived from an aromatic diisocyanate;

R3 is derived from an esterdiol;

R4 is derived from dibutyl amine or ethanolamine;

Where 0 < y < 4 and z > 8,

characterized in that,

the monomers from which R2 and R3 are derived from are added in such amounts that the molar ratio between R2 and R3 is larger than 2:1.

- 2. (previously presented) Linear block polymer according to claim 1, wherein R1 is derived from ethylene diamine, 1,3-diamino propane, 1,2-diamino propane, 1,4-diamino butane, 1,5-diamino pentane, or 1,6-diamino hexane.
- 3. (currently amended) Linear block polymer according to claim 1 [[or 2]], wherein R3 is derived from polycaprolactone diol, polydiethylene glycol adipate or poly(pentane diolpimelate).
- 4. (currently amended) Linear block polymer according to any of the preceding claim[[s]] 1, wherein R2 is derived from 4,4'diphenyl methane diisocyanate, naphthalene diisocyanate, or toluene diisocyanate.
- 5. (currently amended) Fibre manufactured from a linear block polymer according to any of the preceding claim[[s]] 1.
- 6. (previously presented) Fibre according to claim 5, which fibre exhibits a toughness of at least 0.1 N/Tex.
- 7. (previously presented) Fibre according to claim 6, which fibre exhibits a toughness above 0.2 N/Tex.
- (currently amended) Fibre according to any of claim[[s]] 5[[-7]] which fibre exhibits an elongation at break that is below 100 %.
- (currently amended) Fibre according to any of claim[[s]] 5[[-7]] which fibre exhibits an elongation at break that is 43% or below.

- 10. (currently amended) Film manufactured from a linear block polymer according to any of the claim[[s]] 1[[-4]].
- 11. (currently amended) Porous polymeric material manufactured from a linear block polymer according to any of the claim[[s]] 1[[-4]].
- 12. (currently amended) Implant for the implantation into the human or animal body, which implant comprises a linear block polymer according to any of the preceding claim[[s]] 1.
- 13. (new) Linear block polymer according to claim 2, wherein R3 is derived from polycaprolactone diol, polydiethylene glycol adipate or poly(pentane diolpimelate).
- 14. (new) Linear block polymer according to claim 2, wherein R2 is derived from 4,4'diphenyl methane diisocyanate, naphthalene diisocyanate, or toluene diisocyanate.
- 15. (new) Linear block polymer according to claim 3, wherein R2 is derived from 4,4'diphenyl methane diisocyanate, naphthalene diisocyanate, or toluene diisocyanate.
- 16. (new) Fibre manufactured from a linear block polymer according to claim 2.
- 17. (new) Fibre manufactured from a linear block polymer according to claim 3.
- 18. (new) Fibre manufactured from a linear block polymer according to claim 4.

19.(new) Fibre according to claim 6 which fibre exhibits an elongation at break that is below 100 %.

20.(new) Fibre according to claim 7 which fibre exhibits an elongation at break that is below 100 %.